

O365 SharePointin konfigurointi DMSConnectorin käyttöönottoa varten

- 1 Kirjaudu Azuren hallinnointisivulle (<u>https://portal.azure.com</u>).
- 2 Valitse Manage Azure Active Directory, View:

≡ Microsof	Azure P Search resources, services, and docs (G+/)		D 🕼 Q 🕸 ? 😳
	Welcome to Azure! Don't have a subscription? Check out the following option	S.	
	Start with an Azure free trial Get \$200 free credit toward Azure products and services, plus 12 months of popular free services. Start Learn more D ^a	Manage Azure Active Directory Manage access, set smart policies, and enhance security with Azure Active Directory.	Access student benefits Get free software, Azure credit, or access Azure Dev Tools for Teaching after you verify your academic status. Explore Learn more G

3 Valitse App registrations:



Document House Oy

Tampere Visiokatu 1 33720 Tampere **Espoo** Itsehallintokuja 6 02600 Espoo **Pori** Pohjoisranta 11 D 28100 Pori **Turku** Köydenpunojankatu 14 20100 Turku

Sähköposti

myynti@documenthouse.fi www www.documenthouse.fi Puhelin 0207 888 200

1 (6)



4 Valitse New registration.



5 Täytä kentät

	Register an application					
/						
	^ Name					
	The user-facing display name for this application (this can be changed later).					
l	KameleonDMSApi 🗸					
	Supported account types					
	Who can use this application or access this API?					
	Accounts in this organizational directory only Document House Oy only - Single tenant)					
	O Accounts in any organizational directory (Any Azure AD directory - Multitenant)					
	Accounts in any organizational directory (Any Azure AD directory - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)					
	Help me choose					
	Redirect URI (optional)					
	We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.					
	Public client/native (mobile &~) https://www.microsoft.com/en-us/					

Name: (esim.) KameleonDMSApi Supported account types: Accounts in this organizational directory only Redirect URI: https://www.microsoft.com/en-us/

Register

6 Applikaatio on nyt luotu

Display name	: Kameleon1	
Application (client) ID	: 680dc44d-ce7b-4f8d-8707-4a8f3df5fc4f	
Directory (tenant) ID	: 76dc829b-c003-427b-be50-993c8fa2a6a	0
Object ID	: 4b8804bc-1572-496b-be42-010fc064824	с

Supported account types : My organization only Redirect URIs : 1 web, 0 public client Managed application in ... : Kameleon1

Ota talteen Application (client) ID, sitä tarvitaan Kameleonin konfiguroinnissa.

\$

7 Annetaan applikaatiolle tarvittavat oikeudet:



from Microsoft services and your own company's data sources.

Valitse Microsoft Graph (1) ja anna oikeudet

API permissions Applications are authorized to call APIs when they are granted permissions by users/admins as part of the application needs. Add a permissions API / PERMISSIONS NAME TYPE DESCRIPTION User.Read Delegated Sign in and read user profile These are the permissions that this application requests statically. You may also request user corr able permissions dynamically through code. See best practices for requesting permissions

Grant consent

These permissions have been granted for undefined but aren't in the configured permissions list permissions, you should consider adding them to the configured permissions list.

Grant admin consent for Document House Oy

SecurityEvents	
► Sites	
Subscription	
▶ Tasks	
TeamsActivity	
► TeamsApp	
► ThreatIndicators	
▶ TrustFrameworkKeySet	
► UserActivity	
► UserNotification	
UserTimelineActivity	
▼ User (1)	
User.Export.All Export user's data 💿	Yes
□ User.Invite.All Invite guest users to the organization ●	Yes
User.Read Sign in and read user profile ●	-
User.Read.All Read all users' full profiles 👦	Yes
User.ReadBasic.All Read all users' basic profiles 👔	-
User.ReadWrite Read and write access to user profile 👩	-
User.ReadWrite.All	Yes



8 Lisää oikeuksia

Sad UIKEUKSId			w
API permissions			Embed flow templates and manage flows
pplications are authorized to use APIs by reques rant/deny access.	sting permissions. These pe	ermissions show up c	
+ Add a permission			N OneNote
API / PERMISSIONS NAME	TYPE	DESCRIPTION	Create and manage notes, lists, pictures, files, and more in OneNote notebooks
✓ Azure Active Directory Graph (1)			
User.Read	Delegated	Sign in and read u	
			S SharePoint
hese are the permissions that this application re- ble permissions dynamically through code. See	quests statically. You may a best practices for requesti	also request user cor ng permissions	Interact remotely with SharePoint data
hese are the permissions that this application re- ble permissions dynamically through code. See Request API permissions	quests statically. You may a best practices for requesti	also request user cor ng permissions	Interact remotely with SharePoint data
hese are the permissions that this application re- ble permissions dynamically through code. See Request API permissions	quests statically. You may a best practices for requesti	also request user cor ng permissions	Interact remotely with SharePoint data
These are the permissions that this application re- ible permissions dynamically through code. See Request API permissions All APIs SharePoint https://microsoft.sharepoint-df.com/ Docs [2]	quests statically. You may a best practices for requesti	also request user cor ng permissions	Interact remotely with SharePoint data
hese are the permissions that this application re- ble permissions dynamically through code. See Request API permissions All APIs SharePoint https://microsoft.sharepoint-df.com/ Docs [2] SharePoint APIs are available via the Microsoft	quests statically. You may a best practices for requesti t Graph API. You may want to c	also request user cor ng permissions onsider using Microsoft Graj	Interact remotely with SharePoint data
These are the permissions that this application re- ible permissions dynamically through code. See Request API permissions All APIs SharePoint https://microsoft.sharepoint-df.com/ Docs [2] SharePoint APIs are available via the Microsoft SharePoint APIs are available via the Microsoft	quests statically. You may a best practices for requesti t Graph API. You may want to c tion require?	also request user cor ng permissions	Interact remotely with SharePoint data
hese are the permissions that this application re- ble permissions dynamically through code. See Request API permissions CAILAPIS SharePoint https://microsoft.sharepoint-df.com/ Docs [2] SharePoint APIs are available via the Microsoft Although type of permissions does your applies Delegated permissions	quests statically. You may a best practices for requesting t Graph API. You may want to c stion require? Application	onsider using Microsoft Gra	Interact remotely with SharePoint data



Lisätään oikeuksia tee valinnat ja Add permissions

PERMISSION	ADMIN CONSENT REQUIRED
▼ AllSites (2)	
HISites.FullControl Have full control of all site collections	Yes
AllSites.Manage Read and write items and lists in all site collections ${}_{\textstyle 0}$	-
Read items in all site collections 💿	-
AllSites.Write Read and write items in all site collections ${}_{m 0}$	-
▼ MyFiles (1)	
☐ MyFiles.Read Read user files ●	-
☑ MyFiles.Write Read and write user files ●	-
▼ Sites	
Sites.Search.All Run search queries as a user 👔	Yes
▼ TermStore (1)	
□ TermStore.Read.All Read managed metadata ₀	Yes
TermStore.ReadWrite.All Read and write managed metadata	Yes
▼ User	
User.Read.All Read user profiles 💿	Yes
User.ReadWrite.All Read and write user profiles \bullet	Yes

Add permissions Discard



9 Järjestelmänvalvojana annat käyttäjien puolesta hyväksynnän applikaatiolle napsauttamalla *Grant admin consent for XXX* ja hyväksymällä Yespainikkeella.

4	A You are editing permission(s) to your application, users will have to consent even if they've already done so previously.						
Confi	igured permissions						
Applic all the	Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions should include all the permissions the application needs. Learn more about permissions and consent						
+ 4	+ Add a permission 🗸 Grant admin consent for dhkam						
	API / Permissions name	Туре	Description	Admin consent req	Status		
	∽Microsoft Graph (1)						
	User.Read	Delegated	Sign in and read user profile	-			
	∽ SharePoint (4)						
	AllSites.Manage	Delegated	Read and write items and lists in all site collections	-			
	AllSites.Write	Delegated	Read and write items in all site collections	-			
	MyFiles.Write	Delegated	Read and write user files	-			
	TermStore.ReadWrite.All	Delegated	Read and write managed metadata	Yes	🛕 Not granted for dhkam		

10 Näytön yläreunaan tulee vahvistuskysymys, hyväksy oikeudet Yes-painikkeella

